

## Freeform Search

---

|   |  |
|---|--|
| <b>Database:</b>  | US Pre-Grant Publication Full-Text Database<br>US Patents Full-Text Database<br>US OCR Full-Text Database<br>EPO Abstracts Database<br>JPO Abstracts Database<br>Derwent World Patents Index<br>IBM Technical Disclosure Bulletins |
| <b>Term:</b>  | 110 and (psa or psm or prostate specific antigen<br>or prostate specific membrane or ck-19 or ck-20<br>or muc-1 or gastrointestinal associated antigen)  |
| <b>Display:</b>   | <input type="text" value="20"/> Documents in <b>Display Format:</b> <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>   |
| <b>Generate:</b> <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image |  |

---

Search

Clear

Interrupt

---

### Search History

---

DATE: Wednesday, February 04, 2004   [Printable Copy](#)   [Create Case](#)

| <u>Set</u><br><u>Name</u> <u>Query</u>  | <u>Hit</u><br><u>Count</u> | <u>Set</u><br><u>Name</u><br>result<br>set |
|---|----------------------------|--|
| side by side  |                            |  |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>   |                            |  |
| <u>L11</u> 110 and (psa or psm or prostate specific antigen or prostate specific membrane or ck-19 or ck-20 or muc-1 or gastrointestinal associated antigen)      | 82                         | <u>L11</u>                                 |
| <u>L10</u> 18 same (mononuclear or peripheral or blood)   | 141                        | <u>L10</u>                                 |
| <u>L9</u> L8 and reverse transcrip\$  | 426                        | <u>L9</u>                                  |
| <u>L8</u> (isolat\$ or remov\$) with prostate with cell   | 829                        | <u>L8</u>                                  |
| <u>L7</u> L6 and 11   | 28                         | <u>L7</u>                                  |
| <u>L6</u> macs with progenitor  | 36                         | <u>L6</u>                                  |
| <u>L5</u> 11 with background  | 17                         | <u>L5</u>                                  |
| <u>L4</u> 11 and (illegitimate transcription or ectopic transcription)  | 4                          | <u>L4</u>                                  |
| <u>L3</u> L2 and (psa or psm or prostate specific antigen or prostate specific membrane or gcc or ck-19 or ck-20 or muc-1 or gastrointestinal associated antigen) | 141                        | <u>L3</u>                                  |
| <u>L2</u> L1 with (isolat\$ or remov\$ or eliminat\$)   | 582                        | <u>L2</u>                                  |
| <u>L1</u> cd34 or cd 34   | 2576                       | <u>L1</u>                                  |

END OF SEARCH HISTORY

## Refine Search

### Search Results -

| Terms       | Documents |
|-------------|-----------|
| L3 and cd34 | 1         |

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L4





### Search History

DATE: Wednesday, February 04, 2004    [Printable Copy](#)    [Create Case](#)

**Set Name**   **Query**  
 side by side

**Hit Count**   **Set Name**  
 result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ*

|           |  |    |           |
|-----------|--|----|-----------|
| <u>L4</u> | L3 and cd34                              | 1  | <u>L4</u> |
| <u>L3</u> | disseminated with marker                 | 37 | <u>L3</u> |
| <u>L2</u> | disseminated with epithelial with marker | 1  | <u>L2</u> |
| <u>L1</u> | disseminated with epithelial cell marker | 1  | <u>L1</u> |

END OF SEARCH HISTORY